

Solutions


The cool partner worldwide





Helping you build a better future for your brand and for the entire planet

Aware of the needs of its customers, Metalfrio has developed a complete range of “green” coolers that operate with an impact free gas, up to 60% less energy consumption, lower operating expenses, and better performance at the point of sale.



Index

6 Counter Tops

7 Back Bars

8-12 Single Door Coolers

13-16 Double Door Coolers

17-18 Open Front/ Open Top Coolers

19 Subzero Coolers

20 Wine Coolers

21-22 Horizontal Coolers

24-25 Chest Freezers

26 Vertical Freezers

27-33 Conservators

S56



S88



S149




	S56	S88	S149
Gross Capacity	56 lt.	94 lt.	162 lt.
Internal Dimensions (w*d*h) (mm)	337*303*450	398*361*557	490*466*670
External Dimensions (w*d*h) (mm)	435*488*740	490*546*840	595*645*840
External Dimensions With Package (w*d*h) (mm)	460*510*785	510*570*885	610*680*885
Product Foot-Print Area (m ²)	0.21	0.27	0.38
Net Weight	31 kg	36 kg	41 kg
* Temp. Range°C	0 / 10°C	0 / 10°C	0 / 10°C
Facing	5	6	7
Product Display Area (m ²)	0.15	0.22	0.33
Can 330 ml. Loading (rec./max.)	40/55	84/105	140/162
Bottles 500ml. Loading (rec./max.)	15/23	24/50	70/81
Number of Shelves	1	2	2
Loading Container 20'	165	88	54
Loading Container 40'	340	184	114
Loading Container 40'HC	345	276	171
Loading Truck 13,6 m	417	312	240

* Temperature range can be adjusted to customer requirements.

OPTIONAL FEATURES

- Digital thermometer
- Fan switch
- Door lock
- Price holders and strips
- Reversible door
- External door handle
- LED illumination
- Lamp switch
- Self closing door (except S149)
- Stainless steel finish of external body
- Solid door (for S149)
- Energy management controller
- Bottle opener / crown catcher
- LED illuminated logo on glass door
- Customized dressing
- Supersized canopy




S110

S220 BB

S300 Front Door

S300 Back Door



	S110	S220 BB	S300 Front	S300 Back
Gross Capacity	129.6	223	280	280
Internal Dimensions (w*d*h) (mm)	424*414*768	796*362*751	820*565*580	820*592*580
External Dimensions (w*d*h) (mm)	500*570*865	885*515*889	905*755*925	905*759*925
External Dimensions With Package (w*d*h) (mm)	520*590*905	930*570*995	920*780*1060	920*780*1060
Product Foot-Print Area (m ²)	0.29	0.46	0.68	0.69
Net Weight	43.5 kg	60 kg	97 kg	97 kg
* Temp. Range°C	0 / 10 °C	0 / 10 °C	0 / 10 °C	0 / 10 °C
Facing	6	12	12	12
Product Display Area (m ²)	0.29	0.56	0.41	0.43
Can 330 ml. Loading (rec./max.)	168/168	240/302	276/312	276/312
Bottles 500ml. Loading (rec./max.)	84/84	120/151	144/162	144/162
Number of Shelves	2	2	2	2
Loading Container 20'	86	48	28	28
Loading Container 40'	178	100	60	60
Loading Container 40'HC	178	100	60	60
Loading Truck 13, 6 m	312	120	86	86

* Temperature range can be adjusted to customer requirements.

STANDARD FEATURES

- Steel or aluminium inner liner
- Horizontal illumination
- Metal front grid
- External door handle
- Sliding door

OPTIONAL FEATURES

- Price holders and strips
- LED illumination
- Stainless steel finish of external body

S220 BB

- Door lock
- Hinged door
- Canopy

S300 Front Door

- Energy management controller
- Two door version (front and back)
- Lamp switch



S240



D372 L



D372



S240

D372 L

D372

Gross Capacity	259 lt.	382 lt.	382 lt.
Internal Dimensions (w*d*h) (mm)	490*453*1070	490*447*1570	490*447*1570
External Dimensions (w*d*h) (mm)	595*653*1500	600*621*1863	595*650*2000
External Dimensions With Package (w*d*h) (mm)	610*670*1604	610*670*1971	610*670*2104
Product Foot-Print Area (m ²)	0.39	0.37	0.39
Net Weight	68kg	72 kg	73, 5 kg
* Temp. Range °C	0 / 10°C	0 / 10°C	0 / 10 °C
Facing	7	7	7
Product Display Area (m ²)	0.71	0.77	0.77
Can 330 ml. Loading (rec./max.)	308/335	434/467	434/467
Bottles 500ml. Loading (rec./max.)	140/151	203/217	203/217
Number of Shelves	3	5	5
Loading Container 20'	27	27	27
Loading Container 40'	57	57	57
Loading Container 40'HC	57	57	57
Loading Truck 13, 6 m	80	80	80

* Temperature range can be adjusted to customer requirements.

STANDARD FEATURES

- Thermoformed inner liner
- Horizontal internal fluorescent light
- 2 Rollers and adjustable feet
- Maintenance free condenser

OPTIONAL FEATURES

- Digital thermometer
- Fan switch
- Door lock
- Price holders and strips

- Reversible door
- Self closing door
- Night cover
- Electromagnetic lock with remote control
- Bottle opener / crown catcher
- Solid door
- Twin doors
- Energy management controller
- Gravity shelves
- Customized dressing
- Lamp switch

- Transparent sticker application on glass
- Thermometer digital with battery
- IP24
- Supersized canopy
- Curved canopy - glass door - front grid
- Stainless steel finish of external body
- LED illuminated logo on glass door
- LED illumination
- Street cooler version for D372 and D372L
- Shelf LED illumination
- Peripheral illumination



D418 L



D418



SC505



D418 L

D418

SC505

Gross Capacity	448 lt.	448 lt.	466 lt.
Internal Dimensions (w*d*h) (mm)	497*534*1552	497*534*1552	615*469*1343
External Dimensions (w*d*h) (mm)	595*664*1936	595*695*2118	695*615*1997
External Dimensions With Package (w*d*h) (mm)	616*710*2055	616*750*2235	745*660*2120
Product Foot-Print Area (m ²)	0.39	0.41	0.43
Net Weight	86 kg	88 kg	90 kg
* Temp. Range°C	0 / 10 °C	0 / 10 °C	0 / 10 °C
Facing	7	7	9
Product Display Area (m ²)	0.79	0.79	0.81
Can 330 ml. Loading (rec./max.)	574/651	574/651	532/608
Bottles 500ml. Loading (rec./max.)	287/329	287/329	266/304
Number of Shelves	5	5	5
Loading Container 20'	27	27	27
Loading Container 40'	57	57	57
Loading Container 40'HC	57	57	57
Loading Truck 13, 6 m	72	72	63

* Temperature range can be adjusted to customer requirements.

STANDARD FEATURES

SC505

- Steel sheet inner liner
- Vertical illumination
- Adjustable feet
- Easy serviceable cooling deck

D418 L - D418

- 4 adjustable feet
- Thermoformed inner liner
- Horizontal internal fluorescent light

OPTIONAL FEATURES

- Shelf LED illumination
- Peripheral LED illumination
- Rollers

- Street cooler version (for SC505)
- Digital thermometer
- Fan switch
- Door lock
- Price holders and strips
- Reversible door
- LED illumination
- Castors
- Customized dressing
- Metal inner liner (for D418 L and D418)
- Transparent sticker application on glass
- Lamp switch
- Electromagnetic lock with remote control

- Solid door
- Energy management controller
- Gravity shelves
- IP24
- LED illuminated logo on glass door
- Supersized canopy
- Night cover
- Bottle opener / crown catcher
- Orbit design
- Self Closing Door
- Stainless steel finish of external body (for D418 L and D418)
- Thermometer digital with battery (for D418 L and D418)



SC600



Cool600



SC600 HG



SC600

Cool600

SC600 HG

Gross Capacity	602 lt.	621 lt.	610 lt.
Internal Dimensions (w*d*h) (mm)	615*608*1343	575*610*1720	615*608*1570
External Dimensions (w*d*h) (mm)	695*754*1997	664*765*2130	695*754*2201
External Dimensions With Package (w*d*h) (mm)	724*779*2120	690*794*2159	720*790*2310
Product Foot-Print Area (m ²)	0.52	0.51	0.52
Net Weight	108 kg	120 kg	119 kg
* Temp. Range°C	0 / 10 °C	0 / 10 °C	0 / 10 °C
Facing	9	8	9
Product Display Area (m ²)	0.81	0.96	0.94
Can 330 ml. Loading (rec./max.)	712/778	608/688	836/896
Bottles 500ml. Loading (rec./max.)	356/388	360/408	418/448
Number of Shelves	5	5	5
Loading Container 20'	24	23	24
Loading Container 40'	48	49	48
Loading Container 40'HC	48	49	48
Loading Truck 13, 6 m	57	57	57

* Temperature range can be adjusted to customer requirements.

STANDARD FEATURES

- Steel sheet inner liner
- Vertical illumination
- Adjustable feet
- Easy serviceable cooling deck

Cool600

- Metal front grid
- Self closing door

OPTIONAL FEATURES

- Shelf LED illumination
- Peripheral LED illumination
- Rollers
- Street cooler version for SC600 HG and Cool600
- Digital thermometer
- Fan switch
- Door lock
- Price holders and strips
- Reversible door
- LED illumination
- Castors
- Customized dressing

- Lamp switch
- Electromagnetic lock with remote control
- Solid door
- Energy management controller
- Gravity shelves
- IP24
- LED illuminated logo on glass door
- Supersized canopy
- Night cover
- Bottle opener / crown catcher
- Orbit design
- Self Closing Door



S650

S700

S750



S650

S700

S750

Gross Capacity	663 lt.	674 lt.	686 lt.
Internal Dimensions (w*d*h) (mm)	616*682*1355	690*635*1494	690*635*1517
External Dimensions (w*d*h) (mm)	695*815*1981	770*773*2042	770*771*2042
External Dimensions With Package (w*d*h) (mm)	730*840*2120	797*840*2173	797*800*2173
Product Foot-Print Area (m ²)	0.57	0.59	0.59
Net Weight	119 kg	170 kg	170 kg
* Temp. Range°C	0 / 10 °C	0 / 10°C	0 / 10°C
Facing	9	10	10
Product Display Area (m ²)	0.8	0.87	0.97
Can 330 ml. Loading (rec./max.)	720/786	800/860	880/946
Bottles 500ml. Loading (rec./max.)	360/399	400/430	400/430
Number of Shelves	5	5	5
Loading Container 20'	22	14	14
Loading Container 40'	44	30	30
Loading Container 40'HC	44	30	30
Loading Truck 13, 6 m	52	50	51



* Temperature range can be adjusted to customer requirements.

STANDARD FEATURES

- Steel sheet inner liner
- Vertical illumination
- Adjustable feet
- Easy serviceable cooling deck

OPTIONAL FEATURES

- Digital thermometer
- Fan switch
- Door lock
- Price holders and strips
- Reversible door
- LED illumination
- Self closing door
- Castors (Rollers for S650)
- Electromagnetic lock with remote control
- Energy management controller
- Gravity shelves
- IP24
- LED illuminated logo on glass door
- Supersized canopy
- Transparent LCD display as door glass (for S700)
- Bottle opener / crown catcher
- Shelf LED illumination
- Peripheral LED illumination



Inova208



Inova288



Inova420



Inova650



Inova208

Inova288

Inova420

Inova650

Gross Capacity	260 lt.	265 lt.	392 lt.	645 lt.
Internal Dimensions (w*d*h) (mm)	445*538*890	415*518*1085	480*503*1605	624*635*1494
External Dimensions (w*d*h) (mm)	545*655*1488	517*631*1678	580*656*2073	724*784.5*2073
External Dimensions With Package (w*d*h) (mm)	561*695*1638	531*678*1835	595*676*2201	750*840*2201
Product Foot-Print Area (m ²)	0.36	0.33	0.38	0.56
Net Weight	83 kg	90 kg	117 kg	155 kg
* Temp. Range°C	0 / 7°C	0 / 7°C	0 / 7°C	0 / 7°C
Facing	6	6	7	9
Product Display Area (m ²)	0.45	0.53	0.64	0.84
Can 330 ml. Loading (rec./max.)	252/311	288/318	420/434	720/770
Bottles 500ml. Loading (rec./max.)	126/142	144/159	210/217	360/385
Number of Shelves	3	4	5	5
Loading Container 20'	33	36	27	21
Loading Container 40'	68	74	60	44
Loading Container 40'HC	68	74	60	44
Loading Truck 13, 6 m	76	90	77	52

* Temperature range can be adjusted to customer requirements.

** Inova range is especially designed for placement in high temperature market.

STANDARD FEATURES

Inova208

- Plastic inner liner

Inova288 - 420 - 650

- Steel sheet inner liner
- Vertical internal light
- Metal front grid
- Self closing door
- Adjustable feet
- Easy serviceable cooling deck

OPTIONAL FEATURES

- Door lock
- Price holders
- Reversible door
- LED illumination
- Light switch
- Castors
- Bottle opener / crown catcher
- Fan switch (for Inova420 and Inova650)
- Energy management controller
- Twin doors
- Digital thermometer
- LED illuminated logo on glass door
- Voltage stabilizer / protector
- IP24
- Shelf LED illumination
- PRCD cable
- Anti rat protection
- Power supply cable protection



S880 Hinged



S880 Hinged Slim



S900 Hinged



S880 Hinged

S880 Hinged Slim

S900 Hinged

Gross Capacity	922 lt.	783 lt.	962 lt.
Internal Dimensions (w*d*h) (mm)	805*725*1370	805*615*1370	1028*591*1355
External Dimensions (w*d*h) (mm)	880*861*2000	880*751*2000	1103*728*2000
External Dimensions With Package (w*d*h) (mm)	915*893*2140	915*783*2140	1138*766*2140
Product Foot-Print Area (m ²)	0.76	0.66	0.80
Net Weight	147 kg	140 kg	164 kg
* Temp. Range°C	0 / 10 °C	0 / 10 °C	0 / 10 °C
Facing	12	12	15
Product Display Area (m ²)	0.95	0.95	1.22
Can 330 ml. Loading (rec./max.)	960/1082	840/940	900/1082
Bottles 500ml. Loading (rec./max.)	480/541	420/470	450/541
Number of Shelves	5	5	4
Loading Container 20'	12	14	14
Loading Container 40'	26	30	31
Loading Container 40'HC	26	30	31
Loading Truck 13, 6 m	30	47	36

* Temperature range can be adjusted to customer requirements.

STANDARD FEATURES

- Steel sheet inner liner
- Vertical internal light
- Self closing door
- Adjustable feet
- Door handle
- Easy serviceable cooling deck

OPTIONAL FEATURES

- Digital thermometer
- Fan switch
- Door lock
- LED illumination
- Rollers
- Night cover
- Peripheral LED illumination
- Orbit Design
- Roto-shelf system (for S880 Hinged Slim)
- Energy management controller
- IP24
- Heater (for Hinged coolers street version)
- Castors
- Price holders and strips
- Lamp switch





S1000 Hinged



Inova 1000 Hinged



S1200 Hinged



S1000 Hinged

Inova 1000 Hinged

S1200 Hinged

Gross Capacity	1045 lt.	920 lt.	1175 lt.
Internal Dimensions (w*d*h) (mm)	915*725*1355	970*590*1407	1028*725*1355
External Dimensions (w*d*h) (mm)	990*861*2000	1070*738*2156	1103*861*2000
External Dimensions With Package (w*d*h) (mm)	1025*883*2140	1105*770*2300	1138*883*2140
Product Foot-Print Area (m ²)	0.85	0.79	0.95
Net Weight	164 kg	191kg	186 kg
* Temp. Range°C	0 / 10 °C	0 / 10 °C	0 / 10 °C
Facing	13	7+7	15
Product Display Area (m ²)	1.08	1.14	1.22
Can 330 ml. Loading (rec./max.)	1040/1218	980/1098	1200/1368
Bottles 500ml. Loading (rec./max.)	520/609	490/549	600/685
Number of Shelves	4	5+5	4
Loading Container 20'	12	15	12
Loading Container 40'	26	33	26
Loading Container 40'HC	26	33	26
Loading Truck 13, 6 m	30	39	30


* Temperature range can be adjusted to customer requirements.

STANDARD FEATURES

- Steel sheet inner liner
- Vertical internal light
- Self closing door
- Adjustable feet
- Door handle
- Easy serviceable cooling deck

OPTIONAL FEATURES

- Digital thermometer
- Fan switch
- Door lock
- LED illumination
- Rollers
- Night cover
- Lamp switch
- Orbit Design
- Peripheral LED illumination
- Energy management controller
- IP24
- Heater (for Hinged coolers street version)
- Castors
- Price holders and strips
- Flat Canopy (for S1200 Hinged)



S880 Sliding



S880 Sliding Slim



S900 Sliding



	S880 Sliding	S880 Sliding Slim	S900 Sliding
Gross Capacity	834 lt.	700 lt.	852 lt.
Internal Dimensions (w*d*h) (mm)	805*640*1370	805*530*1370	1028*508*1355
External Dimensions (w*d*h) (mm)	880*821*2000	880*711*2000	1103*689*2000
External Dimensions With Package (w*d*h) (mm)	915*868*2140	915*758*2140	1138*736*2140
Product Foot-Print Area (m ²)	0.72	0.62	0.76
Net Weight	145 kg	136 kg	159 kg
* Temp. Range°C	0 / 10 °C	0 / 10 °C	0 / 10 °C
Facing	12	12	15
Product Display Area (m ²)	0.81	0.81	1.08
Can 330 ml. Loading (rec./max.)	960/1082	840/940	900/1082
Bottles 500ml. Loading (rec./max.)	480/541	420/470	450/541
Number of Shelves	4	4	4
Loading Container 20'	12	18	16
Loading Container 40'	26	39	32
Loading Container 40'HC	26	39	32
Loading Truck 13, 6 m	30	47	36


* Temperature range can be adjusted to customer requirements.

STANDARD FEATURES

- Steel sheet inner liner
- Vertical internal light
- Self closing door
- Adjustable feet
- Door handle
- Easy serviceable cooling deck

OPTIONAL FEATURES

- Digital thermometer
- Fan switch (magnetic)
- Door lock (mechanic)
- LED illumination
- Rollers
- Night cover
- Electromagnetic lock with remote control
- Energy management controller
- IP24
- Heater
- Castors
- Price holders and strips
- Lamp switch



S1000 Sliding

S1000 HG Sliding

S1200 Sliding

Cool1300 Sliding



S1000 Sliding

S1000 HG Sliding

S1200 Sliding

Cool 1300 Sliding

	S1000 Sliding	S1000 HG Sliding	S1200 Sliding	Cool 1300 Sliding
Gross Capacity	948 lt.	1035 lt.	1068 lt.	1493 lt.
Internal Dimensions (w*d*h) (mm)	915*640*1355	915*640*1495	1028*640*1355	1211*637*1684
External Dimensions (w*d*h) (mm)	990*821*2000	990*821*2140	1103*821*2000	1300*775*2080
External Dimensions With Package (w*d*h) (mm)	1025*868*2140	1025*858*2280	1138*868*2140	1339*810*2218
Product Foot-Print Area (m ²)	0.81	0.81	0.90	0.97
Net Weight	160 kg	171 kg	179 kg	230 kg
* Temp. Range°C	0 / 10°C	0 / 10°C	0 / 10°C	0 / 10°C
Facing	13	13	15	18
Product Display Area (m ²)	0.95	1.05	1.08	1.55
Can 330 ml. Loading (rec./max.)	1040/1218	1144/1331	1200/1368	1584/1720
Bottles 500ml. Loading (rec./max.)	520/609	520/609	600/685	792/860
Number of Shelves	4	4	4	4+1
Loading Container 20'	12	12	12	12
Loading Container 40'	26	26	26	25
Loading Container 40'HC	26	26	26	25
Loading Truck 13, 6 m	30	30	30	28


* Temperature range can be adjusted to customer requirements.

STANDARD FEATURES

- Steel sheet inner liner
- Vertical internal light
- Self closing door
- Adjustable feet
- Door handle
- Easy serviceable cooling deck

OPTIONAL FEATURES

- Digital thermometer
- Fan switch (magnetic)
- Door lock (mechanic)
- LED illumination
- Rollers
- Night cover
- Electromagnetic lock with remote control
- Energy management controller
- IP24
- Heater
- Castors
- Price holders and strips
- Lamp switch
- Flat Canopy for S1200



E300



E400



E600



	E300	E400	E600
Gross Capacity	210 lt.	274 lt.	110 lt.
Internal Dimensions (w*d*h) (mm)	566*486*529	601*495*907	599*286*428
External Dimensions (w*d*h) (mm)	655*570*1132	655*575*1498	655*424*986
External Dimensions With Package (w*d*h) (mm)	790*655*1282	790*655*1640	700*510*1130
Product Foot-Print Area (m ²)	0.37	0.37	0.28
Net Weight	74 kg	83 kg	53kg
* Temp. Range°C	2 / 15 °C	2 / 15 °C	2 / 15 °C
Facing	8	8	9
Product Display Area (m ²)	180°	180°	360°
Can 330 ml. Loading (rec./max.)	141/141	245/245	134/134
Bottles 500ml. Loading (rec./max.)	77/77	125/125	36/36
Number of Shelves	3	3	N.A.
Loading Container 20'	24	24	72
Loading Container 40'	51	51	148
Loading Container 40'HC	51	51	148
Loading Truck 13, 6 m	60	60	180

* Temperature range can be adjusted to customer requirements.

STANDARD FEATURES

- Gravity shelves (for E300 - E400)
- Flexible dividers (for E300 - E400)
- 2 rollers (on back side)

OPTIONAL FEATURES

- Product divider (for E600)
- Sticker application
- Price holders

OF185



OF375



OF1100



	OF185	OF375	OF1100
Gross Capacity	130 lt.	274 lt.	753 lt.
Internal Dimensions (w*d*h) (mm)	520*300*831	620*402*1103	1020*555*1337
External Dimensions (w*d*h) (mm)	630*630*1575	730*742*1850	1130*968*2120
External Dimensions With Package (w*d*h) (mm)	670*670*1690	780*790*1970	1160*1015*2140
Product Foot-Print Area (m ²)	0.40	0.54	1.09
Net Weight	90 kg	127 kg	245 kg
* Temp. Range°C	2 / 15 °C	2 / 15 °C	2 / 15 °C
Facing	7	9	15
Product Display Area (m ²)	0.36	0.58	1.2
Can 330 ml. Loading (rec./max.)	168/182	324/324	1080/1190
Bottles 500ml. Loading (rec./max.)	84/91	162/162	540/595
Number of Shelves	2	3	4
Loading Container 20'	27	21	10
Loading Container 40'	54	45	24
Loading Container 40'HC	54	45	24
Loading Truck 13, 6 m	60	51	26

* Temperature range can be adjusted to customer requirements.

STANDARD FEATURES

- Electronic controller
- Night curtain
- Castors (for OF185 - OF375)

OPTIONAL FEATURES

- Price holders and strips
- Embossed aluminium inner liner
- LED illumination
- Stainless steel finish of external body
- Shelf illumination (for OF1100)



VN29 B



VN29 G



VN50 B



VN50 G



	VN29 B	VN29 G	VN50 B	VN50 G
Gross Capacity	322 lt.	322 lt.	584 lt.	584 lt.
Internal Dimensions (w*d*h) (mm)	495*555*967	495*555*967	572*660*1291	572*660*1291
External Dimensions (w*d*h) (mm)	595*672*1811	595*686*1811	675*832*1989	675*832*1989
External Dimensions With Package (w*d*h) (mm)	660*780*1960	660*780*1960	735*910*2171	735*910*2171
Product Foot-Print Area (m ²)	0.4	0.41	0.56	0.56
Net Weight	80 kg	87 kg	114 kg	128 kg
* Temp. Range °C	-6 / 0 °C	-6 / 0 °C	-6 / 0 °C	-6 / 0 °C
Facing	7	7	8	8
Product Display Area (m ²)	-	0.6	-	0.8
Can 330 ml. Loading (rec./max.)	350/413	350/413	639/679	639/679
Bottles 500ml. Loading (rec./max.)	154/182	154/182	280/295	280/295
Number of Shelves	4	4	5	5
Loading Container 20'	25	25	18	18
Loading Container 40'	51	51	39	39
Loading Container 40'HC	51	51	39	39
Loading Truck 13, 6 m	60	60	48	48

* Temperature range can be adjusted to customer requirements.

STANDARD FEATURES

- Steel sheet inner liner
- Adjustable feet
- 4 rollers
- Easy serviceable cooling deck (from back side)
- Quick freeze switch
- Lamp switch

OPTIONAL FEATURES

- Fan switch
- Door lock
- Price holders and strips
- LED illumination
- Solid door
- Energy management controller
- Transparent sticker application on glass
- LED illuminated logo on glass door
- Castors





S149 WIC ST



D372 WIC ST



S149 WIC ST D372 WIC ST

Gross Capacity	162 lt.	382 lt.
Internal Dimensions (w*d*h) (mm)	490*466*670	490*447*1570
External Dimensions (w*d*h) (mm)	595*645*840	600*621*1863
External Dimensions With Package (w*d*h) (mm)	610*680*885	610*670*1971
Product Foot-Print Area (m²)	0.38	0.38
Net Weight	41 kg	67 kg
* Temp. Range°C	7 / 20 °C	7 / 20 °C
Product Display Area (m²)	0.33	0.77
Number of Shelves	2	7
Loading Container 20'	60	27
Loading Container 40'	114	57
Loading Container 40'HC	171	57
Loading Truck 13, 6 m	240	80


* Temperature range can be adjusted to customer requirements.

STANDARD FEATURES

- Black thermoformed inner liner
- Adjustable feet
- Adjustable thermostat
- Maintenance free condenser
- 2 rollers at back (D372 WIC ST)

OPTIONAL FEATURES

- Digital thermometer
- Door lock
- LED illumination
- Reversible door
- Self closing door (except S149 WIC ST)
- Electromagnetic lock with remote control
- Solid door
- Customized look
- LED illuminated logo on glass door
- Lamp switch



S152 BCSG



S152 BC



S200 BCSG



	S152 BCSG	S152 BC	S200 BCSG
Gross Capacity	137 lt.	145 lt.	191 lt.
Net Capacity	115 lt.	126 lt.	147 lt.
Internal Dimensions (w*d*h) (mm)	460*510*560	460*510*675	520*510*620
External Dimensions (w*d*h) (mm)	585*635*820	585*680*840	725*635*875
External Dimensions With Package (w*d*h) (mm)	635*695*890	650*760*890	770*695*890
Product Foot-Print Area (m ²)	0.37	0.36	0.46
Net Weight	42 kg	40 kg	48 kg
* Temp. Range °C	0 / 10 °C	0 / 10 °C	0 / 10 °C
Product Display Area (m ²)	0.27	-	0.35
Can 330 ml. Loading (rec./max.)	203/203	217/217	168/168
Bottles 500ml. Loading (rec./max.)	105/105	102/102	96/96
Loading Container 20'	54	54	48
Loading Container 40'	114	114	102
Loading Container 40'HC	170	170	152
Loading Truck 13, 6 m	189	189	171


* Temperature range can be adjusted to customer requirements.

STANDARD FEATURES

- Embossed aluminium inner liner
- Castors (for S200 BCSG)
- Basket (for S200 BCSG)
- Adjustable thermostat
- Sliding glass lids
(for S152 BCSG - S200 BCSG)
- Plastic frame (for S200 BCSG)
- Lock (except S152 BC)

OPTIONAL FEATURES

- Door lock
- Stainless steel finish of external body
- Parasol holder
- Bumper for the corners
- Angled flat glass
- Transparent sticker application on glass





S300 BC



S300 BCSG



	S300 BC	S300 BCSG
Gross Capacity	288 lt.	313 lt.
Net Capacity	275 lt.	261 lt.
Internal Dimensions (w*d*h) (mm)	890*510*675	890*510*665
External Dimensions (w*d*h) (mm)	1015*680*895	1015*635*875
External Dimensions With Package (w*d*h) (mm)	1070*760*890	1065*695*890
Product Foot-Print Area (m²)	0.69	0.64
Net Weight	57 kg	56 kg
* Temp. Range°C	0 / 10 °C	0 / 10 °C
Product Display Area (m²)	-	0.51
Can 330 ml. Loading (rec./max.)	492/492	492/492
Bottles 500ml. Loading (rec./max.)	234/234	234/234
Loading Container 20'	30	32
Loading Container 40'	66	68
Loading Container 40'HC	98	101
Loading Truck 13, 6 m	111	132


* Temperature range can be adjusted to customer requirements.

STANDARD FEATURES

- Impact free gas
- Solid door (for S300 BC)
- Sliding glass lids (for S300 BCSG)
- Aluminium frame (for S300 BCSG)
- Lock (for S300 BCSG)

OPTIONAL FEATURES

- Door lock
- Stainless steel finish of external body
- Parasol holder
- Basket
- Bumper for the corners
- S300 BCSG**
- Flat curved glass





D300 DF



D500 DF



D200 DF

D400 DF

	D200 DF	D300 DF	D400 DF	D500 DF
Gross Capacity	186 lt.	288 lt.	391 lt.	479 lt.
Net Capacity	177 lt.	275 lt.	373 lt.	458 lt.
Internal Dimensions (w*d*h) (mm)	600*510*675	890*510*675	1180*510*675	1430*510*675
External Dimensions (w*d*h) (mm)	725*720*845	1015*720*845	1305*720*845	1555*720*845
External Dimensions With Package (w*d*h) (mm)	780*760*890	1070*760*890	1360*760*890	1610*760*890
Product Foot-Print Area (m²)	0.52	0.73	0.94	1.12
Net Weight	43 kg	50 kg	58 kg	67 kg
Temp. Range°C	-18 / -34 °C	-18 / -34 °C	-18 / -34 °C	-18 / -34 °C
Product Display Area (m²)	-	-	-	-
Loading Container 20'	42	32	24	20
Loading Container 40'	90	66	50	42
Loading Container 40'HC	135	98	74	63
Loading Truck 13, 6 m	162	111	90	81

STANDARD FEATURES

- Embossed aluminium inner liner
- Rollers
- Adjustable thermostat
- Plastic frame
- Maintenance free condenser
- Quick freeze button
- Lock

OPTIONAL FEATURES

- Analogue thermometer
- Digital thermometer
- Stainless steel finish of external body
- Additional basket
- Inside lamp



DF 300 

DF 400 



DF200 

	DF200 A++	DF300 A++	DF400 A++
Gross Capacity	179 lt.	272 lt.	371 lt.
Net Capacity	175 lt.	268 lt.	366 lt.
Internal Dimensions (w*d*h) (mm)	680*470*625	995*470*625	1330*470*625
External Dimensions (w*d*h) (mm)	845*720*845	1155*720*845	1495*720*845
External Dimensions With Package (w*d*h) (mm)	900*760*890	1215*760*890	1550*760*890
Product Foot-Print Area (m²)	0.6	0.83	1.07
Net Weight	45 kg	51 kg	62 kg
Temp. Range°C	-18 / -34 °C	-18 / -34 °C	-18 / -34 °C
Product Display Area (m²)	-	-	-
Loading Container 20'	36	26	20
Loading Container 40'	78	60	44
Loading Container 40'HC	117	90	66
Loading Truck 13, 6 m	153	111	75

STANDARD FEATURES

- Embossed aluminium inner liner
- Rollers
- Adjustable thermostat
- Plastic frame
- Maintenance free condenser
- Quick freeze button
- Lock

OPTIONAL FEATURES

- Analogue thermometer
- Digital thermometer
- Stainless steel finish of external body
- Additional basket
- Inside lamp



VF372 WOC



VF372



VF500



VF372 WOC

VF372

VF500

Gross Capacity	382 lt.	382 lt.	470 lt.
Internal Dimensions (w*d*h) (mm)	490*469*1570	490*469*1570	548*521*1361
External Dimensions (w*d*h) (mm)	640*668*1875	640*674*2056	670*718*2026
External Dimensions With Package (w*d*h) (mm)	645*705*1891	645*705*2171	683*765*2145
Product Foot-Print Area (m²)	0.43	0.43	0.48
Net Weight	90 kg	100 kg	131 kg
Temp. Range°C	-18 / -24 °C	-18 / -24 °C	-18 / -24 °C
Product Display Area (m²)	0.82	0.82	0.74
Number of Shelves	5 fixed shelves	5 fixed shelves	6
Loading Container 20'	24	24	23
Loading Container 40'	54	54	49
Loading Container 40'HC	54	54	49
Loading Truck 13, 6 m	60	60	60

STANDARD FEATURES

- Thermoformed inner liner (for VF372)
- Metal inner liner (for VF500)
- Self closing door
- 2 rollers and 2 adjustable feet for VF372
- 4 rollers and 2 adjustable feet for VF500

OPTIONAL FEATURES

- Digital thermometer
- Fan switch
- Door lock
- Price holders and strips (for VF500)
- Stainless steel finish of external body
- Energy management controller
- Transparent sticker application on glass
- IP24
- Maintenance free condenser
- Lamp switch



D152DFSG AC/AF



D200DFSG AC/AF



D200DFSG FF/FC



D152 DFSG AC/AF D200 DFSG AC/AF D200 DFSG FF/FC



Gross Capacity	137 lt.	187 lt.	196 lt.
Net Capacity	115 lt.	158 lt.	168 lt.
Internal Dimensions (w*d*h) (mm)	460*510*560	600*510*560	600*510*665
External Dimensions (w*d*h) (mm)	585*635*820	725*635*875	725*635*875
External Dimensions With Package (w*d*h) (mm)	635*695*890	770*695*890	770*695*890
Product Foot-Print Area (m ²)	0.37	0.46	0.46
Net Weight	42 kg	49 kg	56 kg
Temp. Range°C	-13 / -23 °C	-13 / -23 °C	-13 / -23 °C
Product Display Area (m ²)	0.27	0.35	0.35
Loading Container 20'	54	48	48
Loading Container 40'	114	102	102
Loading Container 40'HC	170	152	152
Loading Truck 13, 6 m	189	171	171

STANDARD FEATURES

- Embossed aluminium inner liner
- Castors (except D152 DFSG AC/AF)
- Aluminium frame
- Angled curved glass
- Lock

OPTIONAL FEATURES

- Analogue thermometer
- Digital thermometer
- Silk screen printing on the outer body
- Stainless steel finish of external body
- Separator
- Parasol holder
- Basket
- Angled flat glass
- Flat glass
- Flat curved glass
- Chest canopy
- Transparent sticker application on glass



D300 DFSG AC/AF



D300 DFSG FF/FC



D300 DFSG AC/AF D300 DFSG FF/FC



Gross Capacity	290 lt.	303 lt.
Net Capacity	248 lt.	261 lt.
Internal Dimensions (w*d*h) (mm)	890*510*560	890*510*665
External Dimensions (w*d*h) (mm)	1015*635*875	1015*635*875
External Dimensions With Package (w*d*h) (mm)	1065*695*890	1065*695*890
Product Foot-Print Area (m²)	0.64	0.64
Net Weight	58 kg	56 kg
Temp. Range°C	-13 / -23 °C	-13 / -23 °C
Product Display Area (m²)	0.52	0.53
Loading Container 20'	32	32
Loading Container 40'	68	68
Loading Container 40'HC	101	101
Loading Truck 13, 6 m	132	132

STANDARD FEATURES

- Embossed aluminium inner liner
- Castors
- Aluminium frame
- Angled curved glass
- Lock

OPTIONAL FEATURES

- Analogue thermometer
- Digital thermometer
- Silk screen printing on the outer body
- Stainless steel finish of external body
- Seperator
- Parasol holder
- Basket
- Angled flat glass
- Flat glass
- Flat curved glass
- Chest canopy
- Transparent sticker application on glass



D400 DFSG AC/AF



D400 DFSG FF/FC



D400 DFSG AC/AF

D400 DFSG FF/FC

Gross Capacity	393 lt.	410 lt.
Net Capacity	337 lt.	355 lt.
Internal Dimensions (w*d*h) (mm)	1180*510*560	1180*510*665
External Dimensions (w*d*h) (mm)	1305*635*875	1305*635*875
External Dimensions With Package (w*d*h) (mm)	1355*695*890	1355*695*890
Product Foot-Print Area (m ²)	0.83	0.83
Net Weight	68 kg	66 kg
Temp. Range °C	-13 / -23 °C	-13 / -23 °C
Product Display Area (m ²)	0.68	0.67
Loading Container 20'	24	24
Loading Container 40'	50	50
Loading Container 40'HC	74	74
Loading Truck 13, 6 m	90	90

STANDARD FEATURES

- Embossed aluminium inner liner
- Castors
- Aluminium frame
- Angled curved glass
- Lock

OPTIONAL FEATURES

- Analogue thermometer
- Digital thermometer
- Silk screen printing on the outer body
- Stainless steel finish of external body
- Seperator
- Parasol holder
- Basket
- Angled flat glass
- Flat glass
- Flat curved glass
- Chest canopy
- Transparent sticker application on glass



D500 DFSG AC/AF



D500 DFSG FF/FC



D500 DFSG AC/AF

D500 DFSG FF/FC


Gross Capacity	482 lt.	503 lt.
Net Capacity	414 lt.	436 lt.
Internal Dimensions (w*d*h) (mm)	1430*510*560	1430*510*665
External Dimensions (w*d*h) (mm)	1555*635*875	1555*635*875
External Dimensions With Package (w*d*h) (mm)	1605*695*890	1605*695*890
Product Foot-Print Area (m²)	0.99	0.99
Net Weight	73 kg	71 kg
Temp. Range°C	-13 / -23 °C	-13 / -23 °C
Product Display Area (m²)	0.82	0.81
Loading Container 20'	22	22
Loading Container 40'	48	48
Loading Container 40'HC	72	72
Loading Truck 13, 6 m	81	81

STANDARD FEATURES

- Embossed aluminium inner liner
- Castors
- Aluminium frame
- Angled curved glass
- Lock

OPTIONAL FEATURES

- Analogue thermometer
- Digital thermometer
- Silk screen printing on the outer body
- Stainless steel finish of external body
- Seperator
- Parasol holder
- Basket
- Angled flat glass
- Flat glass
- Flat curved glass
- Chest canopy
- Transparent sticker application on glass



D200 DFSG AC



D300 DFSG AC



D200 DFSG AC D300 DFSG AC


Gross Capacity	195 lt.	302 lt.
Net Capacity	165 lt.	257 lt.
Internal Dimensions (w*d*h) (mm)	600*510*620	890*510*620
External Dimensions (w*d*h) (mm)	725*635*875	1015*635*875
External Dimensions With Package (w*d*h) (mm)	770*695*890	1065*695*890
Product Foot-Print Area (m²)	0.46	0.64
Net Weight	44 kg	53 kg
Temp. Range°C	-13 / -23 °C	-13 / -23 °C
Product Display Area (m²)	0.37	0.53
Loading Container 20'	48	32
Loading Container 40'	102	68
Loading Container 40'HC	152	101
Loading Truck 13, 6 m	171	132

STANDARD FEATURES

- Embossed aluminium inner liner
- Castors
- Plastic frame
- Angled curved glass
- Lock

OPTIONAL FEATURES

- Analogue thermometer
- Digital thermometer
- Silk screen printing on the outer body
- Stainless steel finish of external body
- Seperator
- Parasol holder
- Basket
- Chest canopy
- Plastic frame is available in different colours
- Transparent sticker application on glass





D400 DFSG AC



D500 DFSG AC



D400 DFSG AC D500 DFSG AC



Gross Capacity	408 lt.	499 lt.
Net Capacity	349 lt.	429 lt.
Internal Dimensions (w*d*h) (mm)	1180*510*620	1430*510*620
External Dimensions (w*d*h) (mm)	1305*635*875	1555*635*875
External Dimensions With Package (w*d*h) (mm)	1355*695*890	1605*695*890
Product Foot-Print Area (m²)	0.83	0.99
Net Weight	71 kg	77 kg
Temp. Range°C	-13 / -23 °C	-13 / -23 °C
Product Display Area (m²)	0.70	0.83
Loading Container 20'	24	22
Loading Container 40'	50	48
Loading Container 40'HC	74	72
Loading Truck 13, 6 m	90	81

STANDARD FEATURES

- Embossed aluminium inner liner
- Castors
- Plastic frame
- Angled curved glass
- Lock

OPTIONAL FEATURES

- Analogue thermometer
- Digital thermometer
- Silk screen printing on the outer body
- Stainless steel finish of external body
- Seperator
- Parasol holder
- Basket
- Chest canopy
- Plastic frame is available in different colours
- Transparent sticker application on glass



D400 DFSG AF - DISPLAY



D500 DFSG AF - DISPLAY



D400 DFSG AF DISPLAY

D500 DFSG AF DISPLAY


Gross Capacity	381 lt.	467 lt.
Net Capacity	337 lt.	414 lt.
Internal Dimensions (w*d*h) (mm)	1180*510*560	1430*510*560
External Dimensions (w*d*h) (mm)	1305*635*1240	1555*635*1240
External Dimensions With Package (w*d*h) (mm)	1355*695*890	1605*695*890
Display Glass Package Dimensions (w*d*h) (mm)	1390*610*240	1640*610*240
Product Foot-Print Area (m ²)	0.83	0.99
Net Weight	71 kg	76 kg
Temp. Range°C	-13 / -23 °C	-13 / -23 °C
Product Display Area (m ²)	-	-
Loading Container 20'	24	22
Loading Container 40'	50	48
Loading Container 40'HC	56	54
Loading Truck 13,6 m	72	60

STANDARD FEATURES

- Embossed aluminium inner liner
- Castors
- Aluminium frame
- Flat glass
- Lock

OPTIONAL FEATURES

- Analogue thermometer
- Digital thermometer
- Silk screen printing on the outer body
- Stainless steel finish of external body
- Separator
- Parasol holder
- Basket
- Angled flat glass
- Curved glass
- Flat curved glass
- Chest canopy
- Transparent sticker application on glass





WMF HOTEL