

S880 SC DD



Dimentions

W 880 mm. D 820 mm. H 2010 mm.

Capacity

Gross Capacity 806 lt.

Net Weight 594 lt.

PET Bottles 500ml 480 pcs.

Cans 330ml 960 pcs.

Facing 12 pcs. (330ml Can)

Standard Features

Climate class 4

Temperature range 0 / +10 °C

Fan assisted cooling

Tempered double glass

Adjustable Mechanical thermostat

Steel sheet body with electrostatic powder paint

Prepainted steel sheet inner cabinet

2 Vertical internal lights

4 Adjustable heavy duty shelves

4 adjustable feet

Plastic kick plate

On/ off switch for inner light

Ozon Friendly Refrigerant R 134-a

Self closing sliding glass door with stoper

Optional Features


Analogue or Digital Thermometer

Remote Control Door lock

Sticker application

Price holder

Silk screen priting



Coloured Plastic Parts

Metal kick plate

Door holder For TD models

Vertical internal LED light

INOX Look External Body


Night cover

Hydrocarbon Gas (R 600)

Street Cooler (at operation range -20°C/+32°C)

Loading Data

20"	18
40"	39
40" HC	39
13.6 m Truck	47



S880 SC DD SLIM



Dimentions

W 880 mm. D 710 mm. H 2010 mm.

Capacity

Gross Capacity 670 lt.

Net Weight 578 lt.

PET Bottles 500ml 480 pcs.

Cans 330ml 960 pcs.

 Facing 12 pcs. (330ml Can)

Standard Features

Climate class 4

Temperature range 0 / +10 °C

Fan assisted cooling

Tempered Double Glass Doors

Adjustable Mechanical thermostat

Steel sheet body with electrostatic powder paint

2 Vertical internal lights

4 Adjustable heavy duty shelves

Plastic kick plate

On/ off switch for inner light

Ozone Friendly Refrigerant R 134-a

Self closing sliding glass door with stoper

Prepainted steel sheet inner cabinet

Optional Features

Analogue or Digital Thermometer


Remote Control Door lock

Sticker application

Price holder

Silk screen priting

Coloured visual plastic parts



Metal kick plate

Door holder For TD models

Vertical inner light with led

INOX Look outer Body


Night cover

Hydrocarbon Gas(R 600)

Street Cooler (at operation range -20°C/+32°C)

Loading Data

20"	12
40"	28
40" HC	28
13.6 M Truck	32



S880 SC TD

Dimentions

W 880 mm. D 860 mm. H 2010 mm.

Capacity


Gross Capacity	914 lt.
Net Weight	700 lt.
PET Bottles 500ml	480 pcs.
Cans 330ml	960 pcs.
Facing	12 pcs. (330ml Can)

Standard Features

Climate class	4
Temperature range	0 / +10 °C
Fan assisted cooling	
Tempered Double Glass Doors	
Adjustable Mechanical thermostat	
Steel sheet body with electrostatic powder paint	
Prepainted steel sheet inner cabinet	
2 Vertical internal lights	
4 Adjustable heavy duty shelves	
4 feet	
Plastic kick plate	
On/ off switch for inner light	
Ozon Friendly Refrigerant R 134-a	

Optional Features

Analogue or Digital Thermometer
Door lock with remote control
Sticker application
Price holder
Silk screen priting
Coloured visual plastic parts



- Metal kick plate
- Door holder For TD models
- Vertical intermal LED light
- INOX Look outer Body
- Night cover
- Hydrocarbon Gas (R 600)
- Street Cooler (at operation range -20°C/+32°C)

Loading Data

20"	12
40"	26
40" HC	26
13.6 m Truck	30



S880 SC TD SLIM



Dimensions

W 880 mm. D 710 mm. H 2010 mm.

Capacity


Gross Capacity	778 lt.
Net Weight	684 lt.
PET Bottles 500ml	420 pcs.
Cans 330ml	840 pcs.
Facing	12 pcs. (330ml Can)

Standard Features

Climate class	4
Temperature range	0 / +10 °C
Fan assisted cooling	
Tempered double glass	
Adjustable thermostat	
Steel sheet body with electrostatic powder paint	
2 Vertical internal lights	
4 Adjustable heavy duty shelves	
Plastic kick plate	
On/ off switch for inner light	
Ozone Friendly Refrigerant R 134-a	
Self closing sliding glass door with stoper	

Optional Features

Analogue or Digital Thermometer
Door lock with remote control
Sticker application
Price holder
Silk screen printing
Coloured visual plastic parts
Metal kick plate



Door holder For TD models

Vertical internal LED light

INOX Look External Body


Night cover

Hydrocarbon Gas(R 600)

Street Cooler (at operation range -20°C/+32°C)

Loading Data

20"	18
40"	39
40" HC	39
13.6 m Truck	47



S880 SC TD SLIM ROTO

Dimentions

W 880 mm. D 750 mm. H 2010 mm.

Capacity


Gross Capacity	778 lt.
Net Weight	568 lt.
PET Bottles 500ml	370 pcs.
Cans 330ml	370 pcs.
Facing	10 pcs. (330ml Can)

Standard Features

- Climate class
- temparature range
- Fan assisted cooling
- Tempered double glass
- Adjustable Mechanical thermostat
- Steel sheet body with electrostatic powder paint
- Prepainted steel sheet inner cabinet
- 2 Vertical internal lights
- Roto Shelf System
- 4 adjustable feet
- Plastic kick plate
- Door Holders
- On/ off switch for inner light
- On/Off switch for inner canopy
- Ozon Friendly Refrigerant R 134-a

Optional Features

- Analogue or Digital Thermometer
- Remote Control Door lock
- Sticker application
- Silk screen priting




Metal kick plate

INOX Look External Body

Hydrocarbon Gas(R 600)

Loading Data

20"	18
40"	26
40" HC	26
13.6 m Truck	30



S900 SC DD



Dimensions

W 1100 mm. D 694 mm. H 2010 mm.

Capacity


Gross Capacity	858 lt.
Net Weight	718 lt.
PET Bottles 500ml	450 pcs.
Cans 330ml	900 pcs.
Facing	15 pcs. (330ml Can)

Standard Features

Climate class	4
Temperature range	0 / +10 °C
Fan assisted cooling	
Tempered Double Glass Doors	
Adjustable Mechanical thermostat	
Steel sheet body with electrostatic powder paint	
2 Vertical internal lights	
4 Adjustable heavy duty shelves	
Plastic kick plate	
On/ off switch for inner light	
Ozone Friendly Refrigerant R 134-a	
Self closing sliding glass door with stoper	

Optional Features

Analogue or Digital Thermometer
Door lock with remote control
Sticker application
Price holders
Silk screen printing
Coloured Plastic Parts
Metal kick plate



Door holder For TD models

Vertical internal LED light

INOX Look External Body


Night cover

Hydrocarbon Gas (R 600)

Street Cooler (at operation range -20°C/+32°C)

Loading Data

20"	16
40"	33
40" HC	33
13.6 m. kamyon	37



S900 SC TD

Dimentions

W 1100 mm. D 734 mm. H 2010 mm.

Capacity


Gross Capacity	945 lt.
Net Weight	725 lt.
PET Bottles 500ml	450 pcs.
Cans 330ml	900 pcs.
Facing	15 pcs. (330ml Can)

Standard Features

Climate class	4
Temperature range	0 / +10 °C
Fan assisted cooling	
Tempered Double Glass Doors	
Adjustable Thermostat	
Steel sheet body with electrostatic powder paint	
2 Vertical internal lights	
4 Adjustable heavy duty shelves	
Plastic kick plate	
On/ off switch for inner light	
Ozone Friendly Refrigerant R 134-a	

Optional Features

Analogue or Digital Thermometer
Door lock with remote control
Sticker application
Price holders
Silk screen priting
Coloured visual plastic parts
Metal kick plate
Door holder For TD models



Vertical internal LED light

INOX Look External Body

Night cover

Hydrocarbon Gas (R 600)

Street Cooler (at operation range -20°C/+32°C)

Loading Data

20"	16
40"	33
40" HC	33
13.6 m. kamyon	37



S1000 SC DD

Dimentions

W 990 mm. D 820 mm. H 2010 mm.

Capacity


Gross Capacity	957 lt.
Net Weight	803 lt.
PET Bottles 500ml	520 pcs.
Cans 330ml	1040 pcs.
Facing	13 pcs. (330ml Can)

Standard Features

Climate class	4
Temperature range	0 / +10 °C
Fan assisted cooling	
Tempered double glass	
Adjustable Mechanical thermostat	
Steel sheet body with electrostatic powder paint	
2 Vertical internal lights	
4 Adjustable heavy duty shelves	
Plastic kick plate	
On/ off switch for inner light	
Ozone Friendly Refrigerant	R 134-a
Self closing sliding glass door with stoper	

Optional Features

Analogue or Digital Thermometer
Door lock with remote control
Sticker application
Price holders
Silk screen priting
Coloured visual plastic parts
Metal kick plate



Door holder For TD models

Vertical inner light with led

INOX Look outer Body


Night cover

Hydrocarbon Gas (R 600)

Street Cooler (at operation range -20°C/+32°C)

Loading Data

20"	12
40"	28
40" HC	28
13.6 M Truck	32



S1000 SC TD

Dimentions

W 990 mm. D 860 mm. H 2010 mm.

Capacity


Gross Capacity	1044 lt.
Net Weight	796 lt.
PET Bottles 500ml	520 pcs.
Cans 330ml	1040 pcs.
Facing	13 pcs. (330ml Can)

Standard Features

Climate class	4
Temperature range	0 / +10 °C
Fan assisted cooling	
Tempered Double Glass Doors	
Adjustable Mechanical thermostat	
Steel sheet body with electrostatic powder paint	
2 Vertical internal lights	
4 Adjustable heavy duty shelves	
Plastic kick plate	
On/ off switch for inner light	
Ozone Friendly Refrigerant R 134-a	
Prepainted steel sheet inner cabinet	
4 feet	

Optional Features

Analogue or Digital Thermometer
Door lock with remote control
Sticker application
Price holders
Silk screen priting
Coloured visual plastic parts



Metal kick plate
Door holder For TD models
Vertical inner light with led
INOX Look External Body
Night cover
Hydrocarbon Gas(R 600)
Street Cooler (at operation range -20°C/+32°C)

Loading Data

20"	12
40"	26
40" HC	26
13.6 m Truck	30



S1200 SC DD

Dimensions

W 1100 mm. D 820 mm. H 2010 mm.

Capacity


Gross Capacity	1075 lt.
Net Weight	902 lt.
PET Bottles 500ml	600 pcs.
Cans 330ml	1200 pcs.
Facing	15 pcs. (330ml Can)

Standard Features

Climate class	4
Temperature range	0 / +10 °C
Fan assisted cooling	
Tempered Double Glass Doors	
Adjustable Mechanical thermostat	
Steel sheet body with electrostatic powder paint	
2 Vertical internal lights	
4 Adjustable heavy duty shelves	
Plastic kick plate	
On/ off switch for inner light	
Ozone Friendly Refrigerant R 134-a	
Self closing sliding glass door with stoper	
Prepainted steel sheet inner liner	
4 feet	

Optional Features

Analogue or Digital Thermometer
Door lock with remote control
Sticker application
Silk screen printing
Coloured visual plastic parts



Metal kick plate

Door holder For TD models

Vertical internal LED light

INOX Look outer Body


Night cover

Hydrocarbon Gas (R 600)

Street Cooler (at operation range -20°C/+32°C)

Loading Data

20"	12
40"	28
40" HC	28
13.6 M Truck	32



S1200 SC TD

Dimentions

W 1100 mm. D 860 mm. H 2010 mm.

Capacity


Gross Capacity	1175 lt.
Net Weight	910 lt.
PET Bottles 500ml	600 pcs.
Cans 330ml	1200 pcs.
Facing	15 pcs. (330ml Can)

Standard Features

Climate class	4
Temperature range	0 / +10 °C
Fan assisted cooling	
Tempered Double Glass Doors	
Adjustable Mechanical thermostat	
Steel sheet body with electrostatic powder paint	
2 Vertical internal lights	
4 Adjustable heavy duty shelves	
Plastic kick plate	
On/ off switch for inner light	
Ozone Friendly Refrigerant R 134-a	

Optional Features

Analogue or Digital Thermometer
Door lock with remote control
Sticker application
Price holders
Silk screen priting
Coloured visual plastic parts
Metal kick plate
Door holder For TD models



Vertical inner light with led

INOX Look External Body

Night cover

Hydrocarbon Gas (R 600)

Street Cooler (at operation range -20°C/+32°C)

Loading Data

20"	12
40"	26
40" HC	26
13.6 m Truck	30