





S240 SC

Dimentions	
W 595 mm. D 640 mm. H 1355 mm.	
Capacity	
Gross Capacity	250 lt.
Net Weight	223 lt.
PET Bottles 500ml	126 pcs.
Cans 330ml	273 pcs.
Facing	7 pcs. (330ml Can)
Standard Features	
Climate class	4
temparature range	0/+10 °C
Fan assisted cooling	
Adjustable thermostat	
Tempered double glass	
Steel sheet body with electrostatic powder paint	
Illuminated canopy	
Horizontal internal light	
Built-in door handle	
Plastic kick plate	
Plastic back panel	
2 adjustable feet at front,2 rollers at the rear	
Ozone friendly refrigerant R134 a	
-3 adjustable shelves	
Optional Features	
Horizontal/vertical inner light with LED	
Thermometer (Analogue/Digital)	
Internal light switch	
Vertical inner light -fan switch	



internal light switch	
on/off switch for mains	
On/off switch for canopy	
Metal kick plate	
Door lock	
Self closing door	
Reversible door	
Gravity shelf	
Sticker application	
Price holder	
Customised silk screen printing on the outer body	
Coloured body	
Coloured visual plastic parts	
4 rollers	
Grab door handle	
Loading Data	
20"	27
40"	57
40" HC	57
13.6 m Truck	80



D372 SLM 4



Dimentions

W 595 mm. D 640 mm. H 1856 mm.

Capacity


Gross Capacity	372 lt.
Net Weight	334 lt.
PET Bottles 500ml	189 pcs.
Cans 330ml	399 pcs.
Facing	7 pcs. (330ml Can)

Standard Features


Climate class	4
Temperature range	0 / +10 °C
Fan assisted cooling	
Adjustable Thermostat	
Steel sheet body with electrostatic powder paint	
Thermoformed plastic inner liner	
Horizontal internal light	
Built-in door handle	
Plastic back panel	
Plastic back panel	
2 adjustable feet at front, 2 rollers at the rear	
5 Adjustable shelves	
Ozone friendly refrigerant R134 a	
Tempered double glass	

Optional Features

D condition
4 rollers
Internal light switch
Fan switch
Door lock
Self closing door
Reversible door
Gravity shelf



Grab door handle	
Sticker application	
Price holder	
Silk screen printing on the body	
Coloured body	
LED cabinet or canopy lighting	
Coloured visual plastic parts	
Metal kick plate	
Thermometer (Analogue/Digital)	
Loading Data	
20"	27
40"	57
40" HC	57
13.6 m Truck	80



D372 SCM 4



Dimentions

W 595 mm. D 640 mm. H 1856 mm.

Capacity

Gross Capacity	372 lt.
Net Weight	334 lt.
PET Bottles 500ml	189 pcs.
Cans 330ml	399 pcs.
Facing	7 pcs. (330ml Can)

Standard Features

Climate class	4
Temperature range	0 / +10 °C

Fan assisted cooling

Adjustable Thermostat

Steel sheet body with electrostatic powder paint

Thermoformed plastic inner liner

Horizontal internal light

Built-in door handle

Plastic kick plate

Plastic back panel

2 adjustable feet at front, 2 rollers at the rear

5 Adjustable shelves

Ozone friendly refrigerant R134 a

Tempered double glass

Optional Features

D condition

4 rollers

Internal light switch


Vertical inner light

Fan switch


Door lock

Self closing door

Reversible door



Gravity shelf	
Metal kick plate	
Grab door handle	
Price holder	
Silk screen printing on the body	
Coloured body	
Coloured visual plastic parts	
LED cabinet or canopy lighting	
Thermometer (Analogue/Digital)	
Loading Data	
20"	27
40"	57
40" HC	57
13.6 m Truck	80



D372 SCM 4C



Dimentions

W 595 mm. D 640 mm. H 1985 mm.

Capacity


Gross Capacity	372 lt.
Net Weight	334 lt.
PET Bottles 500ml	189 pcs.
Cans 330ml	399 pcs.
Facing	7 pcs. (330ml Can)

Standard Features


Climate class	4
Temperature range	0 / +10 °C
Fan assisted cooling	
Adjustable thermostat	
Tempered double glass	
Steel sheet body with electrostatic powder paint	
Thermoformed plastic inner liner	
Illuminated canopy	
Horizontal internal light	
Built-in door handle	
Plastic kick plate	
2 adjustable feet at front, 2 rollers at the rear	
Ozone friendly refrigerant R134 a	
-5 adjustable shelves	

Optional Features

Thermometer (Analogue/Digital)
Internal light switch
Vertical inner light -fan switch
on/off switch for mains
On/off switch for canopy
Metal kick plate
Door lock
Self closing door



Reversible door	
Gravity shelf	
Sticker application	
Price holder	
Customised silk screen printing on the outer body	
Coloured body	
Coloured visual plastic parts	
4 rollers	
Grab door handle	
Horizontal/vertical inner light with LED	
D condition	
Refrigerant R-600	
Energy saving solution	
Curved canopy/glass door/ kick plate	
Street Cooler version (Operation range -20°C / + 32°C)	
Night cover	
Door lock with remote control	
Loading Data	
20"	27
40"	57
40" HC	57
13.6 m Truck	80



D372 SCM 4 TD



Dimentions

W 595 mm. D 640 mm. H 1856 mm.

Capacity


Gross Capacity	372 lt.
Net Weight	334 lt.
PET Bottles 500ml	189 pcs.
Cans 330ml	399 pcs.
Facing	7 pcs. (330ml Can)

Standard Features


Climate class	4
Temperature range	0 / +10 °C
Tempered double glass	
Fan assisted cooling	
Adjustable Thermostat	
Steel sheet body with electrostatic powder paint	
Thermoformed plastic inner liner	
Horizontal internal light	
Built-in door handle	
Plastic kick plate	
Plastic back panel	
2 adjustable feet at front, 2 rollers at the rear	
5 Adjustable shelves	
Ozone friendly refrigerant R134 a	

Optional Features

D condition
LED cabinet or canopy lighting
Internal light switch
Vertical inner light
Fan switch
Door lock
Self closing door
Reversible door



Gravity shelf	
Metal kick plate	
Grab door handle	
Sticker application	
Price holder	
Silk screen printing on the body	
Coloured body	
Coloured visual plastic parts	
4 rollers	
Thermometer (Analogue/Digital)	
Loading Data	
20"	27
40"	57
40" HC	57
13.6 m Truck	80



D372 SCM 5C

Dimentions

W 595 mm. D 640 mm. H 1856 mm.

Capacity


Gross Capacity	372 lt.
Net Weight	334 lt.
PET Bottles 500ml	189 pcs.
Cans 330ml	399 pcs.
Facing	7 pcs. (330ml Can)

Standard Features


Climate class
Temperature range 0 / +10 °C
Fan assisted cooling
Adjustable thermostat
Tempered double glass
Steel sheet body with electrostatic powder paint
Thermoformed plastic inner liner
Illuminated canopy
Horizontal internal light
Built-in door handle
Plastic kick plate
Plastic back panel
2 adjustable feet at front, 2 rollers at the rear
Ozone friendly refrigerant R134 a
-3 adjustable shelves

Optional Features

Thermometer (Analogue/Digital)
internal light switch
Vertical inner light -fan switch
on/off switch for mains
On/off switch for canopy
Metal kick plate
Door lock



Self closing door	
Reversible door	
Gravity shelf	
Sticker application	
Price holder	
Customised silk screen printing on the outer body	
Coloured visual plastic parts	
4 rollers	
Grab door handle	
Horizontal/vertical inner light with LED	
Fan switch	
Loading Data	
20"	27
40"	57
40" HC	57
13.6 m Truck	80



D418 GCD



Dimentions

W 595 mm. D 695 mm. H 1900 mm.

Capacity


Gross Capacity	418 lt.
Net Weight	368 lt.
PET Bottles 500ml	245 pcs.
Cans 330ml	490 pcs.
Facing	7 pcs. (330ml Can)

Standard Features

Climate class	4
temparature range	
Fan assisted cooling	
Tempered double glass	
Adjustable Mechanical thermostat	
Steel sheet body with electrostatic powder paint	
Thermoformed inner liner	
Steel sheet inner Liner(SC 505)	
Horizontal internal light(D 418)	
Vertical Internal light(SC 505)	
Built-in door handle	
Plastic kick plate	
Plastic back panel	
4 adjustable feet	
5 adjustable shelves	
Ozone Friendly Refrigerant R 134-a	

Optional Features

D condition
Analogue or Digital Thermometer
Internal light switch
Fan switch
On/off switch for canopy
Mechanical Door Lock




Remote Control Door lock	
Self closing door	
Reversible door	
Gravity shelf	
Grab door handle	
Sticker application	
Price holders	
Silk screen printing on the body	
Coloured body	
INOX Look External Body	
Coloured visual plastic parts	
Led cabinet or canopy lighting	
Street Cooler (at operation range -20°C/+32°C)	
Night cover	
Hydrocarbon Gas (R 290 in SC 505)	
Loading Data	
20"	27
40"	57
40" HC	57
13.6 m Truck	72



D418 GCDC

Dimintions	
W 595 mm. D 695 mm. H 2080 mm.	
Capacity	
Gross Capacity	418 lt.
Net Weight	368 lt.
PET Bottles 500ml	245 pcs.
Cans 330ml	490 pcs.
Facing	7 pcs. (330ml Can)
Standard Features	
Climate class	4
Temperature range 0 / +10 °C	
Fan assisted cooling	
Tempered double glass	
Adjustable Mechanical thermostat	
Steel sheet body with electrostatic powder paint	
Thermoformed inner liner(D 418/ S505 TF)	
Steel sheet inner Liner(SC 505)	
Horizontal internal light(D 418)	
Vertical Internal light(SC 505)	
Built-in door handle	
Plastic kick plate	
Plastic back panel	
4 adjustable feet	
5 adjustable shelves	
Ozone Friendly Refrigerant R 134-a	
Optional Features	
D condition	




Analogue or Digital Thermometer	
Internal light switch	
Fan switch	
On/off switch for canopy	
Mechanical Door Lock	
Remote Control Door lock	
Self closing door	
Reversible door	
Gravity shelf	
Grab door handle	
Sticker application	
Price holders	
Silk screen printing on the body	
Coloured body	
INOX Look External Body	
Coloured visual plastic parts	
Led cabinet or canopy lighting	
Street Cooler (at operation range -20°C/+32°C)	
Night cover	
Hydrocarbon Gas (R 290 in SC 505)	
Curved canopy/glass door/kick plate	
Loading Data	
20"	27
40"	57
40" HC	57
13.6 m Truck	72



SC 505

Dimentions	
W 695 mm. D 612 mm. H 2010 mm.	
Capacity	
Gross Capacity	449 lt.
Net Weight	410 lt.
PET Bottles 500ml	270 pcs.
Cans 330ml	540 pcs.
Facing	9 pcs. (330ml Can)
Standard Features	
Climate class	4
Temperature range 0 / +10 °C	
Fan assisted cooling	
Tempered double glass	
Adjustable Mechanical thermostat	
Steel sheet body with electrostatic powder paint	
Thermoformed inner liner(D 418/ S505 TF)	
Steel sheet inner Liner(SC 505)	
Horizontal internal light(D 418)	
Vertical Internal light(SC 505)	
Built-in door handle	
Plastic kick plate	
Plastic back panel	
4 adjustable feet	
5 adjustable shelves	
Ozone Friendly Refrigerant R 134-a	
Optional Features	
D condition	
Analogue or Digital Thermometer	
internal light swich	
Fan switch	
On/off switch for canopy	
Mechanical Door Lock	



Remote Control Door lock	
Self closing door	
Reversible door	
Gravity shelf	
Grab door handle	
Sticker application	
Price holders	
Silk screen printing on the body	
Coloured body	
INOX Look External Body	
Coloured visual plastic parts	
Led cabinet or canopy lighting	
Street Cooler (at operation range -20°C/+32°C)	
Night cover	
Hydrocarbon Gas (R 290 in SC 505)	
Thermoformed plastic inner body	
Loading Data	
20"	27
40"	57
40" HC	57
13.6 m. kamyon	63



SC 505 TF

Dimentions


W 720 mm. D 610 mm. H 1997 mm.

Capacity

Gross Capacity	405 lt.
Net Weight	380 lt.
PET Bottles 500ml	261 pcs.
Cans 330ml	486 pcs.
Facing	9 pcs. (330ml Can)

Loading Data

20"	27
40"	54
40" HC	54
13.6 m. kamyon	63



SC 600

Dimentions

W 695 mm. D 750 mm. H 2010 mm.

Capacity


Gross Capacity	591 lt.
Net Weight	530 lt.
PET Bottles 500ml	355 pcs.
Cans 330ml	710 pcs.
Facing	9 pcs. (330ml Can)

Standard Features


Climate class	4
Temperature range	0 / +10 °C
Fan assisted cooling	
Adjustable Mechanical thermostat	
Steel sheet body with electrostatic powder paint	
Prepainted steel sheet inner liner	
Vertical Inner light	
Built-in door handle	
Plastic kick plate	
Plastic back panel	
4 adjustable feet	
5 adjustable shelves	
Self closing door	
Fan switch	
Ozone Friendly Refrigerant R 134-a	
Tempered Double Glass Doors	

Optional Features

D condition
Analogue or Digital Thermometer
Internal light switch
On/off switch for canopy
Mechanical Door Lock
Remote Control Door lock



Reversible door	
Gravity shelf	
Grab door handle	
Sticker application	
Price holders	
Silk screen printing on the body	
Coloured body	
INOX Look External Body	
Coloured visual plastic parts	
Led cabinet or canopy lighting	
Curved canopy/glass door/ kick plate	
Metal kick plate	
4 rollers	
Street Cooler (at operation range -20°C/+32°C)	
Night cover	
Hydrocarbon Gas (R 290)	
Roto Shelf System	
Loading Data	
20"	24
40"	48
40" HC	48
13.6 m Truck	57



SC 600 HG



Dimentions

W 695 mm. D 750 mm. H 2213 mm.

Capacity


Gross Capacity	591 lt.
Net Weight	567 lt.
PET Bottles 500ml	426 pcs.
Cans 330ml	772 pcs.
Facing	9 pcs. (330ml Can)

Standard Features


Climate class	4
Temperature range	0 / +10 °C
Fan assisted cooling	
Adjustable Mechanical thermostat	
Steel sheet body with electrostatic powder paint	
Prepainted steel sheet inner liner	
Vertical Inner light	
Built-in door handle	
Plastic kick plate	
Plastic back panel	
4 adjustable feet	
5 adjustable shelves	
Self closing door	
Fan switch	
Ozon Friendly Refrigerant R 134-a	

Optional Features

D condition
Analogue or Digital Thermometer
internal light switch
On/off switch for canopy
Mechanical Door Lock
Remote Control Door lock
Reversible door



Gravity shelf	
Grab door handle	
Sticker application	
Price holders	
Silk screen printing on the body	
Coloured body	
INOX Look External Body	
Coloured visual plastic parts	
Led cabinet or canopy lighting	
Curved canopy/glass door/ kick plate	
Metal kick plate	
4 rollers	
Street Cooler (at operation range -20°C/+32°C)	
Night cover	
Hydrocarbon Gas (R 290)	
Loading Data	
20"	24
40"	48
40" HC	48
13.6 m Truck	57



S 650 SC

Dimentions

W 695 mm. D 815 mm. H 2010 mm.

Capacity


Gross Capacity	658 lt.
Net Weight	576 lt.
PET Bottles 500ml	360 pcs.
Cans 330ml	720 pcs.
Facing	9 pcs. (330ml Can)

Standard Features


Climate class	4
Temperature range	0 / +10 °C
Fan assisted cooling	
Adjustable Mechanical thermostat	
Steel sheet body with electrostatic powder paint	
Prepainted steel sheet inner liner	
Vertical Inner light	
Built-in door handle	
Plastic kick plate	
Plastic back panel	
4 adjustable feet	
5 adjustable shelves	
Self closing door	
Fan switch	
Ozon Friendly Refrigerant R 134-a	
Tempered Double Glass Doors	

Optional Features

D condition
Analogue or Digital Thermometer
Internal light switch
On/off switch for canopy
Mechanical Door Lock
Remote Control Door lock



Sticker application	
Price holders	
Silk screen printing on the body	
Coloured body	
INOX Look External Body	
Led cabinet or canopy lighting	
Curved canopy/glass door/ kick plate	
Coloured visual plastic parts	
Metal kick plate	
4 rollers	
Street Cooler (at operation range -20°C/+32°C)	
Night cover	
Gravity shelves	
Hydrocarbon Gas (R 290)	
?	
Roto Shelf System	
Loading Data	
20"	22
40"	44
40" HC	44
13.6 m Truck	52



S650 SL



Dimentions

W 695 mm. D 815 mm. H 2010 mm.

Capacity


Gross Capacity	658 lt.
Net Weight	576 lt.
PET Bottles 500ml	360 pcs.
Cans 330ml	720 pcs.
Facing	9 pcs. (330ml Can)

Standard Features

Climate class	4
Temperature range	0 / +10 °C
Fan assisted cooling	
Adjustable Mechanical thermostat	
Steel sheet body with electrostatic powder paint	
Prepainted steel sheet inner liner	
Vertical Inner light	
Built-in door handle	
Plastic kick plate	
Plastic back panel	
4 adjustable feet	
5 adjustable shelves	
Self closing door	
Fan switch	
Ozon Friendly Refrigerant R 134-a	
Solid Lid Door	

Optional Features

D condition
Analogue or Digital Thermometer
internal light switch
On/off switch for canopy
Mechanical Door Lock
Reversible door



Gravity shelf	
Grab door handle	
Sticker application	
Price holders	
Silk screen printing on the body	
Coloured body	
INOX Look External Body	
Coloured visual plastic parts	
Led cabinet or canopy lighting	
Curved canopy/glass door/ kick plate	
Metal kick plate	
4 rollers	
Street Cooler (at operation range -20°C/+32°C)	
Night cover	
Hydrocarbon Gas (R 290)	
Remote Control Door lock	
Loading Data	
20"	22
40"	44
40" HC	44
13.6 m Truck	52